	•					
Page 1/3	MSDS		PIGMENTED			
MATERIAL SAFETY DATA SHEET			HIGHLIGHTER INK			
	PRODUCERS		CF5810 Green			
	SUPPLIERS					
	WAREHOUSI	ERS	QUICK IDENTFIER			
	GENERAL INFORMA	0.000/0.000/0.000 (48	& Co. Schreibfarben			
Factory ludwi	gshafen	Factory Mittenwald				
Woellnerstrabe 26,D-67065 Ludwigshafen			Innsbrucker Str. 35, D-82481			
	J		Mittenwald			
Telephone: 004	49-621-5402-332	Telephone: 0049-8823-9202-0				
	9-621-5402-391	Telefax: 0049-8823-3820				
Date: 8-Apr-04	4 Prepared by W.	Windorfer (Factory	Mittenwald)			
SECTION II -	- HAZARDOUS INGR	EDIENTS (Specia	fy components)			
CAS-no.	substance not applicable	conc. range	% classification (EU)			
ASTM D-4236	approved: yes					
	: UN-No.: N/A. Prop. Sh		angerous Goods			
	Class: N/A. MFAG: N/A					
ICAO/IATA Class: N/A. Packaging Group: N/A.						
SECTION III PHYS. / CHEM. CHARACTERISTICS (SPECIFY COMPONENT)/						
Appearance: 1	iquid	Odour: typical				

Boiling Point (°C): ≥ 100			Density (g/ml): :1.02-1.16	
Vapour Density(Air=1): > 1			Melting Point (℃):	<0
Solubility in Water:100%			Evaporation Rate(Butylacetate=1)	>1
Pressurised: yes	no	X	% Volatile ⁽⁴⁾	70

Other characteristics: aqueous solution of polyhydric alcohol, dye stuffs and additives

SECTION IV – FIRE AND EXPLOSION HAZARDS

Flashp. °C (Method used): > 100	Explosion Limits(Vol%)	LEL n.a.	UEL n.a.
---------------------------------	------------------------	----------	----------

Extinguishing Media: N/A

Special Fire Fighting Precautions: cool closed containers exposed to fire with water; do not use waterjet autoignition temperature ($^{\circ}$): N/A.

List of Hazardous Decomp. Products: carbon monoxide and dioxide, smoke, and oxides of nitrogen after evaporation of water

Other Advice: none

SECTION V – STORAGE HAZARDS

Stability: Unstable: Stable: X Conditions to Avoid: avoid heating above 60°C Incompatibility (Material to avoid): concentrated oxidising or reducing agents

Hazardous Decomposition Products: no hazardous decomposition products known

Hazardous Polymerisation May Occur

Will Not Occur X

Conditions To Avoid: none

SECTION VI – HEALTH HAZARDS

1. Acute⁽⁵⁾: > 5000 mg/kg 2. Chronic⁽⁵⁾: n.d.

Signs and Symptoms of Overexposure: n.d.

Medical Cond. Generally Aggravated: n.d.

Chem. Listed as Carcinogenes: none of the used chemicals are known to be carcinogenes

EMERGENCY AND FIRST AID PROCEDURES

Routes of Entry	First Aid Procedures	Seek Medical Advice
Inhalation	n.a.	
Eyes	rinse with plenty of clean and fresh water in case of remaining irritation seek for medical advice	X
Skin	remove moistened clothing, wash with soap and water, do not use solvents or thinners!!	X
Ingestion	If accidentally swallowed obtain immediate medical attention.Keep at rest	Х
	Do not induce vomiting	

SECTION VII - SPECIAL PRECAUTIONS

Special Precautions to be Taken in Handling: keep containers tightly closed,

protect drums from the influence of weather.

Other Precautions: Product should not get untreated into waters

Steps to be Taken in Case Material is Released or Spilled: absorb with appropriate liquid binding material and dispose off according to local regulations

Waste Disposal Methods: burn in a licensed incinerator, treat in a biological clarification plant; product may not get untreated into waters

SECTION VIII - SPECIAL PROTECTION INFORMATION/CONTROL MEASURES

Respiratory Protection: not necessary, good room ventilation is sufficient

Ventilation: Local Exhaust: Mechanical: not necessaryOther:

Skin and Eye Protection: rubber or plastic gloves, protective galsses

Work/Hygienic Practices: pay attention to the usual rules for handling chemicals

Note: The information given in this MSDS is based on our present state of knowledge and is no assurance of properties of our products. Existing laws and regulations have to be obeyed by the purchaser himself. The product shall not be used for purposes other than it is assigned for without the consent of the producer.